

## 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** Isopropyl Alcohol, Anhydrous Grade
- **Article number:** 300128
- **CAS Number:**  
67-63-0
- **EC number:**  
200-661-7
- **Index number:**  
603-117-00-0
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
MP Biomedicals, LLC  
29525 Fountain Parkway  
Solon, OH 44139  
United States  
www.mpbio.com
- **Information department:** Product safety department
- **Emergency telephone number:** CHEMTREC: 1-800-424-9300 (1-703-527-3887)

## 2 Hazards identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Irritant

Irritating to eyes.



Highly flammable

Highly flammable.

Vapours may cause drowsiness and dizziness.

- **Information concerning particular hazards for human and environment:** Not applicable.

- **Label elements**

- **GHS label elements**

The substance is classified and labelled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

# Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 12/07/2012

Reviewed on 12/07/2012

**Trade name: Isopropyl Alcohol, Anhydrous Grade**

(Contd. of page 1)

· **Hazard pictograms**



GHS02 GHS07

· **Signal word** *Danger*

· **Hazard statements**

*Highly flammable liquid and vapour.*

*Causes serious eye irritation.*

*May cause drowsiness or dizziness.*

· **Precautionary statements**

*If medical advice is needed, have product container or label at hand.*

*Keep out of reach of children.*

*Read label before use.*

*Keep away from heat/sparks/open flames/hot surfaces. - No smoking.*

*Use explosion-proof electrical/ventilating/lighting/equipment.*

*IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.*

*IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.*

*Continue rinsing.*

*Store locked up.*

*Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 1

Fire = 3

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



HEALTH 1 Health = 1

FIRE 3 Fire = 3

REACTIVITY 0 Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

## 3 Composition/information on ingredients

· **Chemical characterization: Substances**

· **CAS No. Description**

67-63-0 propan-2-ol

· **Identification number(s)**

· **EC number:** 200-661-7

· **Index number:** 603-117-00-0

USA

(Contd. on page 3)

# Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 12/07/2012

Reviewed on 12/07/2012

Trade name: **Isopropyl Alcohol, Anhydrous Grade**

(Contd. of page 2)

## 4 First aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:** 15-30°C
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Store in nitrogen.  
Keep receptacle tightly sealed.

(Contd. on page 4)

# Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 12/07/2012

Reviewed on 12/07/2012

**Trade name: Isopropyl Alcohol, Anhydrous Grade**

(Contd. of page 3)

- Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

### 67-63-0 propan-2-ol

PEL	980 mg/m <sup>3</sup> , 400 ppm
REL	Short-term value: 1225 mg/m <sup>3</sup> , 500 ppm Long-term value: 980 mg/m <sup>3</sup> , 400 ppm
TLV	Short-term value: 984 mg/m <sup>3</sup> , 400 ppm Long-term value: 492 mg/m <sup>3</sup> , 200 ppm
BEI	

- **Ingredients with biological limit values:**

### 67-63-0 propan-2-ol

BEI	40 mg/L urine end of shift at end of workweek Acetone (background, nonspecific)
-----	--

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
  - Keep away from foodstuffs, beverages and feed.
  - Immediately remove all soiled and contaminated clothing.
  - Wash hands before breaks and at the end of work.
  - Avoid contact with the eyes.
  - Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

USA

# Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 12/07/2012

Reviewed on 12/07/2012

Trade name: Isopropyl Alcohol, Anhydrous Grade

(Contd. of page 4)

## · Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

## · Information on basic physical and chemical properties

## · General Information

## · Appearance:

Form:	Fluid
Color:	Clear
Odor:	Alcohol-like
Odour threshold:	Not determined.

· pH-value: neutral

## · Change in condition

Melting point/Melting range:	-89.5°C (-129 °F)
Boiling point/Boiling range:	82°C (180 °F)

· Flash point: 11°C (52 °F)

· Flammability (solid, gaseous): Not applicable.

· Ignition temperature: 425°C (797 °F)

· Decomposition temperature: Not determined.

· Auto igniting: Not determined.

· Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

## · Explosion limits:

Lower:	2 Vol %
Upper:	12 Vol %

· Vapor pressure at 20°C (68 °F): 43 hPa (32 mm Hg)

· Density at 20°C (68 °F): 0.785 g/cm<sup>3</sup> (6.551 lbs/gal)

· Relative density: Not determined.

· Vapour density: Not determined.

· Evaporation rate: Not determined.

## · Solubility in / Miscibility with

Water at 20°C (68 °F): 1 g/l

· Partition coefficient (n-octanol/water): Not determined.

## · Viscosity:

Dynamic:	Not determined.
Kinematic:	Not determined.
Organic solvents:	100.0 %
VOC content:	100.0 %
	785.0 g/l / 6.55 lb/gl

(Contd. on page 6)

USA

# Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 12/07/2012

Reviewed on 12/07/2012

**Trade name: Isopropyl Alcohol, Anhydrous Grade**

(Contd. of page 5)

· **Other information** No further relevant information available.

## 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**67-63-0 propan-2-ol**

Oral	LD50	5045 mg/kg (rat)
Dermal	LD50	12800 mg/kg (rabbit)
Inhalative	LC50/4 h	30 mg/l (rat)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

67-63-0 | propan-2-ol

3

· **NTP (National Toxicology Program)**

Substance is not listed.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
- Water hazard class 1 (Assessment by list): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 7)

# Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 12/07/2012

Reviewed on 12/07/2012

**Trade name: Isopropyl Alcohol, Anhydrous Grade**



(Contd. of page 6)

· **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

- |   |  |
|---|--|
| <b>· UN-Number</b>  | UN1219   |
| <b>· DOT, ADR, IMDG, IATA</b>   |  |
| <b>· UN proper shipping name</b>  | ISOPROPANOL (ISOPROPYL ALCOHOL)                |
| <b>· DOT, IMDG, IATA</b>  | 1219 ISOPROPANOL (ISOPROPYL ALCOHOL)           |
| <b>· ADR</b>  |  |
| <b>· Transport hazard class(es)</b>   |  |
| <b>· DOT</b>  |  |
|  |  |
| <b>· Class</b>  | 3 Flammable liquids.                           |
| <b>· Label</b>  | 3  |
|   |  |
| <b>· ADR, IMDG, IATA</b>  |  |
|  |  |
| <b>· Class</b>  | 3 Flammable liquids                            |
| <b>· Label</b>  | 3  |
| <b>· Packing group</b>  | II   |
| <b>· DOT, ADR, IMDG, IATA</b>   |  |
| <b>· Environmental hazards:</b>   |  |
| <b>· Marine pollutant:</b>  | No   |
| <b>· Special precautions for user</b>   | Warning: Flammable liquids                     |
| <b>· Danger code (Kemler):</b>  | 33   |
| <b>· EMS Number:</b>  | F-E,S-D  |
| <b>· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>    | Not applicable.                                |
| <b>· UN "Model Regulation":</b>   | UN1219, ISOPROPANOL (ISOPROPYL ALCOHOL), 3, II |

USA

(Contd. on page 8)

# Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 12/07/2012

Reviewed on 12/07/2012

Trade name: Isopropyl Alcohol, Anhydrous Grade

(Contd. of page 7)

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Sara**

· **Section 355 (extremely hazardous substances):**

Substance is not listed.

· **Section 313 (Specific toxic chemical listings):**

Substance is listed.

· **TSCA (Toxic Substances Control Act):**

Substance is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

· **Chemicals known to cause developmental toxicity:**

Substance is not listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

Substance is not listed.

· **TLV (Threshold Limit Value established by ACGIH)**

67-63-0 | propan-2-ol

A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

Substance is not listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

· **GHS label elements**

The substance is classified and labelled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02    GHS07

· **Signal word Danger**

· **Hazard statements**

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

· **Precautionary statements**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

(Contd. on page 9)



# Safety Data Sheet

*acc. to ISO/DIS 11014*

Printing date 12/07/2012

Reviewed on 12/07/2012

**Trade name: Isopropyl Alcohol, Anhydrous Grade**

(Contd. of page 8)

*Use explosion-proof electrical/ventilating/lighting/equipment.*

*IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.*

*IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.*

*Continue rinsing.*

*Store locked up.*

*Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Department issuing MSDS:** Product safety department

· **Abbreviations and acronyms:**

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*DOT: US Department of Transportation*

*IATA: International Air Transport Association*

*ACGIH: American Conference of Governmental Industrial Hygienists*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*NFPA: National Fire Protection Association (USA)*

*HMIS: Hazardous Materials Identification System (USA)*

*VOC: Volatile Organic Compounds (USA, EU)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

USA